

我们的意愿——

我们因志同道合，
我们会共谋发展；
我们将真诚期待，
您的鼎力加盟——

中国医保商会医用敷料分会 副会长单位

浙江湖州市医疗器械行业协会 副会长单位

消毒品 介绍

Disinfection products description



——联系我们



阿里巴巴1688二维码 淘宝二维码 企业官网二维码

上海华埠电话：+86-21-65878676
上海华埠传真：+86-21-58772807

浙江华埠电话：+86-572-5024859
浙江华埠传真：+86-572-5021188

客服热线：400-070-1198
微信平台号：18905820688
E-mail：hb@86medical.com



阿里巴巴1688二维码 淘宝二维码 企业官网二维码

总 经 销：上海华埠医疗科技有限公司
生产基地：浙江安吉华埠实业有限公司

经营地址：上海市闵行区吴中路1050号第六幢(B幢)905室
生产地址：浙江省安吉县递铺街道龙王溪中路588号1-2幢

Http://www.86medical.com E-mail:hb@86medical.com

客服热线：021-65878676 0572-5024672

免费热线：400-070-1198 微信平台号：18905820688



企业简介

上海华埠医疗科技有限公司 浙江安吉华埠实业有限公司

本集团通过：
GMP、ISO13485体系认证
欧盟产品CE、美国FDA认证
ISO13485全面质量管理体系认证



(生产基地鸟瞰图)

华埠企业扎根中国，面向世界。华埠企业从事和生产经营的核心产业是人类健康医疗产业和相关产品，并围绕这宗旨而展开在各个领域和以各种形式的经济活动。

为此，我们将不分肤色、不分国度、不分贵贱，我们将以“团结、合作、奋进、共赢”的合作理念，结盟当今世界的志同道合者，一起为人类的医疗健康事业和共同富裕的美好人生而齐努力，共发展。

法人代表：鲁姿含



CONTENTS

1、企业简介 (Company profile)	00
2、企业资质 (Qualification of enterprise)	01
3、前列腺灌注抗菌液 (Prostate infusion antibacterial solution)	03
4、尿道黏膜冲洗液 (Urethral mucosa rinsing solution)	05
5、阴道黏膜冲洗液 (Vagina mucosa washing fluid)	07
6、滋阴抗菌凝胶 (Yin-nourishing antibacterial gel)	09
7、人流手术抗菌凝胶 (Antibacterial gel after abortion)	11
8、包皮术后抗菌凝胶 (Antibacterial gel after foreskin circumcision)	13
9、私护抗菌凝胶 (Antibacterial gel Vll type)	15
10、新生儿脐带消毒液 (Newborn umbilical cord disinfectant)	17
11、网蝶牌漱口水 (Antibacterial mouthwash)	19
12、图森牌抗菌凝胶 (Antibacterial gel)	21
13、图森牌消毒液 (免洗型) (Disinfectant)	22
14、75%酒精消毒凝胶 (免洗型) (75% alcohol disinfection gel)	23
15、75%酒精消毒液 (免洗型) (75% alcohol disinfectant)	24
16、网蝶牌宠物祛味除臭剂 (Pet deodorant)	25
17、网蝶牌宠物消毒剂 (Pet disinfectant)	26

企业资质

1. 公司证件



浙江安吉华埠实业有限公司



上海华埠医疗科技有限公司



浙江华埠医疗器械生产许可证



浙江华埠消毒产品卫生许可证



ISO9001 证书



ISO9001 证书



ISO9001 证书



ISO13485 证书



ISO13485 证书



ISO13485 证书



CE 0197 证书



CE 0197 证书



FDA(1) 证书



FDA(2) 证书

2. 产品专用商标



上海华埠经营许可证



化妆品许可证



网蝶®
Net Butterfly



图森®

Qualification of Enterprise

1. Business Licenses and Certifications



Zhejiang Anji Huabu Industrial Co., Ltd.



Shanghai Huabu Medical Technology Co., Ltd.



Production License of Medical Equipment in Production Base



Production License of Disinfection Product



ISO9001 Certificate



ISO9001 Certificate



ISO9001 Certificate



ISO13485 Certificate



ISO13485 Certificate



ISO13485 Certificate



CE 0197 Certificate



CE 0197 Certificate



FDA(1) Certificate



FDA(2) Certificate

2. Special Product Trademark



Distribution Company License



Cosmetic License




网蝶®
Net Butterfly



图森®



推荐产品



本品主要用途为--前列腺灌注抗菌液

网蝶牌皮肤粘膜抗菌液(I型)

常用规格

10ml/支、500ml/瓶

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量: 聚六亚甲基双胍 (甲基胍)
0.2-0.6%。



使用方法

取本品1支, 将本品通过尿道或肛门对前列腺手术后的抗菌部位进行灌注冲洗, 每日2-3次, 五分钟左右即可达到较强杀菌的作用。

适用范围

本品适用于前列腺疾病治疗灌注冲洗过程中, 对致病菌有较强杀菌作用。

注意事项


1. 本品属外用抗菌产品;
2. 本品请放置于儿童不可触及处;
3. 本品请置阴凉、避光、干燥处保存;
4. 本品如有不适, 请暂停使用。

本产品以实物为准, 如有更改, 恕不另行通知

(本产品不含酒精和碘 温和无刺激
滋润舒适 使用便捷)



Recommend Products



Prostate Infusion Antibacterial Solution

Specification

10ml/bottle、500ml/bottle

—— (other specifications in accordance with corporate standards or customer orders)

Prodection Description

Polyhexamethylene Biguanidine,
0.2-0.6%

Application Method

Take 1 piece of the product, perfuse and wash the antibacterial parts through urethra or anus after the prostate surgery for 2-3 times a day, a strong antibacterial effect can be achieved within about 5 minutes.

Application Scope

The product is used in the process of perfusion and irrigation during the treatment of prostate disease with strong sterilization effect on pathogenic bacteria.

Attentions

1. This product is for external use only
2. Please keep it out of reach of children;
3. Please store in a cool, dark and dry place;
4. Please stop using it, if you feel unwell, .



This product is based on the acturdf product.
if there is any change ,it will not be notified.

(The product is free of alcohol or iodine, is mild and non-irritating, moist and soothing, and is easy to use)



推荐产品



本品主要用途——尿道黏膜冲洗液

网蝶牌皮肤黏膜抗菌液(II型)

常用规格

10ml/支、500ml/瓶

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量: 聚六亚甲基双胍 (甲基胍)
0.2-0.6%。



使用方法

取本品1支, 根据需要, 用本品通过导尿管冲洗尿道的抗菌部位, 每日2-3次, 以达到利尿抗菌的护理效果, 五分钟左右达到较强的杀菌作用。

适用范围

本品适用于女性、男性尿道感染黏膜冲洗过程中, 对致病菌有较强杀菌作用。

注意事项

1. 本品属外用抗菌产品;
2. 本品请放置于儿童不可触及处;
3. 本品请置阴凉、避光、干燥处保存;
4. 本品如有不适, 请暂停使用。

本产品以实物为准, 如有更改, 恕不另行通知

(本产品不含酒精和碘 温和无刺激
滋润舒适 清爽通畅 使用便捷)



Recommend Products



Urethral Mucosa Rinsing Solution

Specification

10ml/bottle、500ml/bottle

—— (other specifications in accordance with corporate standards or customer orders)

Prodection Description

Polyhexamethylene Biguanidine,
0.2-0.6%

Application Method


Take 1 piece of the product, wash the antibacterial part of the urethral catheter through the urethra for 2-3 times a day to achieve a diuresis and antibacterial effect. It will reach a strong antibacterial effect in about five minutes.

Application Scope

The product is used to wash the male and infected female urinary tract and is strongly effective on the sterilization of pathogenic bacteria.

Attentions

1. This product is for external use only
2. Please keep it out of reach of children;
3. Please store in a cool, dark and dry place;
4. Please stop using it, if you feel unwell, .



This product is based on the acturdf product.
if there is any change ,it will not be notified.

(The product is free of alcohol or iodine, is mild and non-irritating,
moist and soothing, refreshing and smooth and is easy to use.)



推荐产品



本品主要用途--阴道黏膜冲洗液

网蝶牌皮肤黏膜抗菌液(III型)

常用规格

10ml/支、500ml/瓶

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量: 聚六亚甲基双胍(甲基胍)
0.2-0.6%。



本产品以实物为准, 如有更改, 恕不另行通知

(本产品不含酒精和碘 温和无刺激
滋润舒适 清爽芬芳 使用便捷)

Recommend Products



Vagina Mucosa Washing Fluid

Specification

10ml/bottle、500ml/bottle

—— (other specifications in accordance with corporate standards or customer orders)

Prodection Description

Polyhexamethylene Biguanidine,
0.2-0.6%

Application Method

Take an appropriate amount of the product as needed, wash the antibacterial part of the vagina through the urethral catheter to clean and sterilize the vagina. The best bactericidal effect will be achieved in about five minutes. The recommended course of treatment is 2-3 days.

Application Scope

The product is used for washing infected female vaginal mucosa with a strong effect on the sterilization of pathogenic bacteria.

Attentions

1. This product is for external use only ;
2. Please keep it out of reach of children;
3. Please store in a cool, dark and dry place;
4. Please do not use it for the prevention of sexually transmitted diseases;
5. Please stop using it, if you feel unwell, .



This product is based on the acturdf product.
if there is any change ,it will not be notified.

(The product is free of alcohol or iodine, is mild and non-irritating,
moist and soothing, refreshing and fragrant and is easy to use)



推荐产品



本品主要用途——滋阴抗菌凝胶

网蝶牌抗菌凝胶(I型)

常用规格

10g/支、500g/瓶

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量：三氯羟基二苯醚：

0.1%-0.25%。



使用方法

- 1.日常阴道抗菌护理：清洁外阴后，根据需要取本品1支，仰卧将推注入阴道内壁及涂抹外阴部位即可，对致病菌有较强的杀菌作用；
- 2.男女性对生殖器日常抗菌护理或在性生活前抗菌护理：取本品1支，用本品直接滴淋或涂抹在男性生殖器上或女性外阴部即可；或者，女性在性生活前，清洁外阴后，仰卧将本品推注入阴道内，可预防性生活中病菌的交叉感染。

适用范围

本品适用于日常阴道抗菌护理及男女生殖器的抗菌护理，并在性生活中对男女性生殖器和女性阴道提供顺滑、滋润的抗菌环境，对致病菌有较强的杀菌作用。

注意事项

- 1.本品属外用抗菌产品；
- 2.本品请放置于儿童不可触及处；
- 3.本品不得用于性生活中对性病的预防；
- 4.本品请置阴凉、避光、干燥处保存；
- 5.本品使用中如有不适，请暂停使用。

本产品以实物为准，如有更改，恕不另行通知

(本产品不含酒精和碘 温和无刺激
爽滑紧致 滋润芬芳 使用便捷)



Recommend Products



Yin-nourishing Antibacterial Gel

Specification

10g/bottle、500g/bottle

—— (other specifications in accordance with corporate standards or customer orders)

Prodection Description

Trichloro hydroxydiphenyl ether,
0.1%-0.25%

Application Method

1. Daily antibacterial caring of vagina: after cleaning the vulva, take 1 piece of the product as needed, lie one back and push it into the vagina and apply on the genital area. It is strongly effective on the disinfection of pathogenic bacteria;
2. Daily antibacterial caring for male and female genitals or antibacterial caring before sex: take 1 piece of the product, apply it directly on male or female genitals; in case for female use before sex, after cleaning the vulva, lie on back, push the product into the vagina to prevent the cross infection of bacteria during sex.



Application Scope

The product is used for daily anti-bacterial care of vagina as well as the anti-bacterial caring of the male and female genital. It provides a smooth and moist antibacterial environment for male and female genitals and female vagina in sex, and has strong effect on the sterilization of pathogenic bacteria.

Attentions

1. This product is for external use only;
2. Please keep it out of reach of children;
3. Please do not use it for the prevention of sexually transmitted diseases;
4. Please store in a cool, dark and dry place;
5. Please stop using it, if you feel unwell, .

This product is based on the acturdf product.
if there is any change ,it will not be notified.

(The product is free of alcohol or iodine, is mild and non-irritating,
smooth and compact, moist and fragrant and is easy to use.)



推荐产品



本品主要用途--人流手术抗菌凝胶

网蝶牌抗菌凝胶(III型)

常用规格

5g/支X2、10g/支、500g/支、5g/支X1

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量：三氯羟基二苯醚：
0.1%-0.25%。



使用方法

在人流手术后，根据需要，5ml每次取本品1-2支，
10ml每次取本品1支。清洁外阴后，仰卧将本品推
注入阴道内壁及涂抹外阴部位即可，2-3天为一个
疗程。

适用范围

本品适用于人流手术后女性阴道生殖器的抗菌护理，
对致病菌有较强的杀菌作用。

注意事项

- 1.本品属外用抗菌产品；
- 2.本品请放置于儿童不可触及处；
- 3.本品请置阴凉、避光、干燥处保存；
- 4.本品不得用于性生活中对性病的预防；
- 5.本品如有不适，请暂停使用。

(本产品不含酒精和碘 温和无刺激
滋润舒适 清爽通畅 使用便捷)

Recommend Products



Antibacterial Gel after Abortion

Specification

5g/bottleX2、10g/bottle、500g/bottle
5g/bottleX1

—— (other specifications in accordance with
corporate standards or customer orders)

Production Description

Trichloro hydroxydiphenyl ether,
0.1%-0.25%

Application Method

5MLTake 1-2 pieces of the product each time as needed after the abortion.
10MLTake 1piece of the product each time as needed. After cleaning
the vulva, lie on back and then push the product into vagina and apply
on the vulva parts. The course of treatment is 2-3 days.

Application Scope

The product is used for the anti-bacterial caring of female vagina
and genital after abortion, with a strong effect on the sterilization
of pathogenic bacteria.

Attentions

1. This product is for external use only
2. Please keep it out of reach of children;
3. Please store in a cool, dark and dry place;
4. Please do not use it for the prevention of sexually
transmitted diseases;
5. Please stop using it, if you feel unwell, .



This product is based on the acturdf product.
if there is any change ,it will not be notified.

(The product is free of alcohol or iodine, is mild and non-irritating,
moist and soothing, refreshing and smooth and is easy to use)



推荐产品



本品主要用途——包皮术后抗菌凝胶

网蝶牌抗菌凝胶(IV型)

常用规格

1g/支、5g/支、500g/瓶

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量：三氯羟基二苯醚：
0.1%-0.25%。

使用方法

每次取本品1支，在包皮手术后，将本品涂抹在创面受损部位，保持伤口湿润抗菌。

适用范围

本品适用于男性生殖器包皮手术后创面的抗菌护理，对致病菌有较强杀菌作用。

注意事项

- 1.本品属外用抗菌产品；
- 2.本品请放置于儿童不可触及处；
- 3.本品请置阴凉、避光、干燥处保存；
- 4.本品如有不适，请暂停使用。



本产品以实物为准，如有更改，恕不另行通知

(本产品不含酒精和碘 温和无刺激
滋润舒适 清爽芬芳 使用便捷)



Recommend Products



Antibacterial Gel after Foreskin Circumcision

Specification

1g/bottle、5g/bottle、500g/bottle

—— (other specifications in accordance with
corporate standards or customer orders)

Prodection Description

Trichloro hydroxydiphenyl ether,
0.1%-0.25%

Application Method

Apply the product on the wounded parts after the foreskin surgery
and keep the wounds moist and antibacterial.

Application Scope

The product is used for antibacterial caring of wounds after male
genital foreskin surgery, with strong effect on the sterilization of
pathogenic bacteria.

Attentions

1. This product is for external use only ;
2. Please keep it out of reach of children;
3. Please store in a cool, dark and dry place;
4. Please stop using it, if you feel unwell, .




This product is based on the acturdf product.
if there is any change ,it will not be notified.

(The product is free of alcohol or iodine, is mild and non-irritating,
moist and soothing, refreshing and fragrant and is easy to use)



推荐产品



本品主要用途——私护抗菌凝胶

网蝶牌抗菌凝胶(VII型)

常用规格

3.5ml/支X5

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量：三氯羟基二苯醚：

0.1%-0.25%。



本产品以实物为准，如有更改，恕不另行通知

(本产品不含酒精和碘 温和无刺激
滋阴护理 滋润芬芳 使用便捷)

使用方法

1. 女性对阴道私处日常的抗菌护理：清洁外阴后，根据需要取本品1支，仰卧将推注入阴道内壁；或根据需要，取本品适量，涂抹外阴部位即可，对致病菌有较强的杀菌作用；
2. 男女性对性生活前后的抗菌护理：在性生活前，取适量本品，直接滴淋或反复涂抹在男性生殖器上或女性外阴部即可；或者，女性在性生活前，清洁外阴后，取本品一支仰卧将本品推注入阴道内，可预防性生活中病菌的交叉感染，有效地达到抗菌作用。

适用范围

本品适用于日常阴道及男女生殖器私处的滋阴抗菌，并在性生活过程中对男女性生殖器和女性阴道提供润滑的抗菌环境，对致病菌有较强的杀菌作用。

注意事项

1. 本品属外用抗菌产品；
2. 本品请放置于儿童不可触及处；
3. 本品不得用于性生活中对性病的预防；
4. 本品请置阴凉、避光、干燥处保存；
5. 本品使用中如有不适，请暂停使用。



Recommend Products



Antibacterial Gel (VI ltype)

Specification

3.5ml/bottleX5

—— (other specifications in accordance with corporate standards or customer orders)

Prodection Description

Trichloro hydroxydiphenyl ether,
0.1%-0.25%

Application Method

1. Daily anti-bacterial nursing of vagina: after cleaning the vulva, lie on back and inject 1 piece oithe product (as needed) into the inner wall of the vagina; or apply appropriate amount of the producton the vulva. It has strong bactericidal effec
2. Antibacterial care for male and female before and after sex: before sex, take appropriate amount ofthe product and directly drip or repeatedly apply it on the male genitals or female vulva; or after cleaning vulva, inject a piece of the produc into female vaginabfore sex to prevent cross infection during sex and effecticely sterilizing bacteria

Application Scope

The product is used for daily nourishing of vagina and antibacteria in vagina or male and femalegenitals. It provides smooth and antibacterial environment in vagina and has strong bactericidal effect



This product is based on the acturdf product.
if there is any change ,it will not be notified.

Attentions

1. This product is for external use only ;
2. Please keep it out of reach of childrer ;
3. Please do not use it for the prevention of sexually transmitted diseases ;
4. Please store in a cool, dark and dry place;
5. Please stop using it, if you feel unwell,

(The product contains no alcohol, iodine or hormones, is mild withoutstimulation. can be used to nourishYin, and is moist, fragrant and easyto use.)



推荐产品



新生儿脐带消毒液

常用规格

30ml/瓶、500ml/瓶

—— (其他规格依照企业标准或客户订单)

产品介绍


主要有效成分及其含量：聚六亚甲基双胍，
0.30%~0.70%。



本产品以实物为准，如有更改，恕不另行通知

(本产品不含酒精和碘 温和无刺激
滋润舒适 使用便捷)

Recommend Products



Newborn umbilical cord disinfectant

Specification

30ml/bottle、500ml/bottle

—— (other specifications in accordance with
corporate standards or customer orders)

Production Description

Polyhexamethylene biguanide 0.30%~0.70%

Application Method

1. Newborn umbilical cord position skin disinfection: Repeatedly spray the newborn umbilical cord with the stock solution for twice or three times in order to keep the skin moist, waiting for 5 minutes to sterilization.
2. Daily normal skin disinfection: Wipe or wash the skin with the stock solution for twice or three times in order to keep the skin moist, waiting for 5 minutes to sterilization.

Application Scope

This product is applicable for newborn umbilical cord position skin and daily normal skin disinfection.

Attentions

1. This product is for external use only
2. Please keep it out of reach of children;
3. Please store in a cool, dark and dry place;
4. Please stop using it, if you feel unwell, .

This product is based on the acturdf product.
if there is any change ,it will not be notified.



(The product is free of alcohol or Iodine, is mild and
non-irritating, moist and soothing and is easy to use.)



推荐产品



网蝶牌漱口水

常用规格

13ml/条、180ml/瓶、200ml/瓶、500ml/瓶

—— (其他规格依照企业标准或客户订单)

产品介绍

主要有效成分及其含量：三氯羟基二苯醚：
0.1%–0.28%。

使用方法

用法：在口腔手术中，取本品，按照医师要求使用；或在日常牙龈护理、早晚刷牙、或平时需要清洁口腔时使用。

用量：12岁以上儿童及成人，建议使用20毫升/次；6–12岁建议使用10毫升/次，持续漱口30秒后吐出；建议一日至少两次，要达到理想效果请勿用水稀释。使用后，无须再用水漱口。

适用范围

本品适用于日常口腔的清洁和抗菌具有较强的杀菌作用，并有助于抑制各类口腔手术后致病菌的滋生，以及预防口臭、牙龈斑、牙龈和牙周等问题的产生。

注意事项

- 1.本品属口腔专用抗菌产品,不可吞服；
- 2.本品对12岁以下儿童适量使用；
- 3.本品用毕请置阴凉、避光、干燥处保存；
- 4.本品使用中如有不适，请暂停使用。



本产品以实物为准，如有更改，恕不另行通知

(本产品不含酒精和碘 温和无刺激
口感清冽 醇厚回甘 使用便捷)

Recommend Products



Antibacterial Mouthwash

Specification

13ml/bottle、180ml/bottle、
200ml/bottle、500ml/bottle、

—— (other specifications in accordance with
corporate standards or customer orders)

Prodection Description

Trichloro hydroxydiphenyl ether,
0.1%–0.28%

Application Method

Usage: use the product as required by the physician during the oral surgery; or use the product during the daily gingiva caring, teeth brushing and oral cleaning.

Dosage: the recommended dosage is 20ml/time for children of more than 12 years old and adult; 10ml/time for children aged between 6 and 12; gargle for 30 seconds and then spit it out; it is recommended to use it at least twice a day, do not dilute with water in order to achieve a desired effect. It is not necessary to rinse the mouth after use.

Application Scope

The product is used for daily oral cleaning and sterilization with strong bactericidal effect, it helps to inhibit the growth of pathogenic bacteria after various oral surgeries, prevent bad breath, dental plaque, gingiva and periodontal problems.

Attentions

1. The product is a special oral antibacterial product and shall not be swallowed;
2. Dosage for children aged below 12 shall be restricted as required
3. The product shall be stored in a cool, dark and dry place after use.
4. Please stop using it, if you feel unwell



This product is based on the acturdf product.
if there is any change ,it will not be notified.

(The product is free of alcohol or iodine, is mild and
non-irritating, taste cool, mellow and sweet and is easy to use.)



推荐产品



图森牌抗菌凝胶

常用规格

15ml、30ml、60ml、500ml、25kg

——（其他规格依照企业标准或客户订单）

产品介绍

主要有效成分及其含量：三氯羟基二苯醚：
0.1-0.25%。



本产品以实物为准，如有更改，恕不另行通知

（本产品不含酒精和碘 温和无刺激
滋润滑爽 温软芬芳 使用便捷）

使用方法

取本品适量，均匀涂抹于手部、脸部等身体皮肤所需的部位，轻轻搓揉按摩使其吸收即可。

适用范围

本品适用于家庭、医院、机关企事业单位、娱乐场所等公共场所环境中相关人员的手部、脸部、肢体等身体部位的色水洗抗菌护理。

注意事项

- 1.本品属外用抗菌产品；
- 2.本品请放置于儿童不可触及处；
- 3.本品请置阴凉、避光、干燥处保存；
- 4.本品使用中如有不适，请暂停使用。

Recommend Products



图森牌消毒液（免洗型）

常用规格

10ml、30ml、60ml、500ml、25kg

——（其他规格依照企业标准或客户订单）

产品介绍

主要有效成分及其含量：聚六亚甲基双胍(甲基胍)：
0.30-0.70%。



本产品以实物为准，如有更改，恕不另行通知

使用方法

- 1.取本品适量，用原液反复喷洒在手术前后患处皮肤2-3次；亦可对手肢及皮肤日常护理中用原液擦拭或揉搓2-3次，使得皮肤保持湿润，清洁，五分钟左右达到杀灭致病菌的效果；
- 2.对家庭、医院、机关企事业单位等公共场所、环境空间消毒处理，用本品灌入喷瓶中直接向空间均匀喷洒即可；
- 3.对须消毒场所的墙壁地板、用具等，用本品按水料比25:1溶液代替清水清理，擦拭，自然晾干即可，无需清水冲洗；对洗涤衣物、织物进行先消毒，后洗涤过程，将需消毒物品浸泡时，用本品按在水料比10:1溶液中，5分钟后便可用洗涤剂进行正常洗涤即可。

适用范围

本品适用于各类手术前后对患处皮肤及日常皮肤的免水洗消毒护理；以及适用于家庭、医院、机关企事业单位、娱乐场所等公共场所环境的消毒处理。

注意事项

- 1.本品属外用消毒剂；
- 2.本品请放置于儿童不可触及处；
- 3.本品用毕请置阴凉、避光、干燥处保存；
- 4.本品使用中如有不适，请暂停使用。



推荐产品



75% 酒精消毒凝胶（免洗型）

常用规格

10ml、30ml、60ml、500ml、25kg

——（其他规格依照企业标准或客户订单）

产品介绍

主要有效成分及其含量：乙醇：
75±5%（V/V）。



本产品以实物为准，如有更改，恕不另行通知

使用方法

1. 卫生手消毒：取本品适量均匀涂于手部，作用1分钟，搓擦至干。
2. 一般皮肤消毒：取本品适量涂于皮肤表面至湿润，作用3分钟，自然干燥。

适用范围

本品适用于家庭、医院、机关企事业单位、娱乐场所等公共场所环境中相关人员的**手部、肢体等皮肤**的免水洗灭菌护理。

注意事项

1. 对含醇制剂过敏者慎用；
2. 外用消毒液，不得口服，置于儿童不易触及处；
3. 易燃，远离火源；
4. 不易用于空气消毒；
5. 不宜用于脂溶性物体表面的消毒；
6. 原液使用，不宜稀释后使用。

Recommend Products



75% 酒精消毒液（免洗型）

常用规格

10ml、30ml、60ml、100ml、
250ml、500ml、25kg

——（其他规格依照企业标准或客户订单）

产品介绍

主要有效成分及其含量：乙醇：
75±5%（V/V）。



本产品以实物为准，如有更改，恕不另行通知

使用方法

1. 卫生手消毒
手上无肉眼可见污染物时，取适量消毒剂原液进行擦拭或揉搓至手部干燥，作用时间小于等于1min。
2. 外科手消毒
在外科洗手基础上，取适量消毒剂原液进行擦拭或揉搓至干燥，作用时间不应少于2 min。
3. 皮肤消毒
消毒剂原液擦拭，作用1min~3min。注射部位皮肤消毒时间不应超过1min。
4. 普通物体表面消毒
消毒剂原液进行擦拭消毒，作用3min。

适用范围

主要用于手和皮肤消毒、以及医疗器械及医疗机构等部门的物体表面消毒。

注意事项

1. 对含醇制剂过敏者慎用；
2. 外用消毒液，不得口服，置于儿童不易触及处；
3. 易燃，远离火源；
4. 不易用于空气消毒；
5. 不宜用于脂溶性物体表面的消毒；
6. 原液使用，不宜稀释后使用。



推荐产品



网蝶牌宠物祛味除臭剂

常用规格

30ml、60ml、250ml、500ml

——（其他规格依照企业标准或客户订单）

产品介绍

主要有效成分及其含量：三氯羟基二苯醚：
0.1-0.25%。



本产品以实物为准，如有更改，恕不另行通知

使用方法

取本品直接喷洒在宠物本身、宠物排泄物、宠物生活场所、宠物食具用具等需祛味除臭的部位。


适用范围

适用于宠物身体、宠物的排泄物、宠物生活场所及宠物食具用具。

注意事项

- 1.本品属宠物专属消杀用品，不宜他用；
- 2.本品儿童不宜使用，请远离儿童放置；
- 3.本品使用中如有不适，请暂停使用。

Recommend Products



网蝶牌宠物消毒剂

常用规格

30ml、60ml、250ml、500ml

——（其他规格依照企业标准或客户订单）

产品介绍

主要有效成分及其含量：聚六亚甲基双胍(甲基胍)：
0.30-0.70%。



本产品以实物为准，如有更改，恕不另行通知

使用方法

取适量原液直接喷洒在宠物本身、宠物排泄物、宠物生活场所、宠物食具用具等需要消毒的部位。喷洒后，等待自然晾干即可。

适用范围

适用于宠物身体、宠物的排泄物、宠物生活场所及宠物食具用具的清洁消毒。

注意事项

- 1.本品属宠物专属外用消杀用品，不宜他用；
- 2.本品儿童不宜使用，请远离儿童放置；
- 3.本品使用中如有不适，请暂停使用。

